Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4		(vacuum same wick\$3) with ((channel recess groove) same (maintenance clean\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:40
L5	4245	347/47,54,56,71.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/03/08 12:41
L9	135	("20010001452" "20010001455" "20010001456" "20010001460" "20010001474" "3150442" "3538744" "3586933" "3611071" "3663194" "3669881" "3725186" "3738759" "3770405" "3915652" "3921961" "3940301" "4007464" "4056324" "4092166" "4209696" "4356722" "4366118" "4369664" "4403234" "4437103" "4459267" "4480259" "4489259" "4490728" "4590482" "4593728" "4683042" "4708782" "4728392" "4733823" "4842701" "4879097" "4891120" "4908112" "4983038" "4999493" "5015845" "5110745" "5126022" "5132012" "5162650" "5180480" "5182366" "5245185" "5269900" "5283036" "5294426" "5296114" "5296375" "5302533" "5304487" "5306621" "5316680" "5328578" "5331159" "5332481" "5334310" "5338427" "5349186" "5374834" "5376252" "5387329" "5401376" "5401963" "5445324" "545185" "5481110" "5486335" "5493115" "5495108" "5498392" "5501883" "5501883" "5505832" "5512131" "5512511" "5523566" "5536939" "5541408" "5563639" "5572023" "5608217" "5540010" "5641400" "5644131" "5647979" "5652427" "5705813" "5716825" "5747815" "55750988" "5779868" "5789746" "5800692" "5804002" "5865082" "5872010" "5876957" "5877495" "5917184" "5917185" "5969351" "5969353" "5972187" "5993633" "5994696" "6010343" "6114693" "6171875" "62425227" "6394942" "6417510" "6454938" "6563111" "6569324").PN.	US-PGPUB; USPAT; USOCR	OR .	ON	
L10	584	(depth height) with ((nozzle oriface) same (geometr\$2 dimension))	USPAT	OR	ON	2007/03/08 13:10
L11	17	5 and 10	USPAT	OR	ON	2007/03/08 13:10
L12	15	("3747120" "4413268" "4613875" "5745129" "6041600" "6132028" "6139136" "6235212" "6254219" "6264307" "6439695" "6511156" "6536874" "6582059" "6957882").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/08 13:10
S1	8	("6582059" "6536874" "6439695" "6264307" "6235212" "6041600" "4613875" "3747120").pn.	USPAT	OR	ON	2005/06/27 07:18
S2	316	((nozzle planar) with (substrate plate layer)) same ((channel guide groove direct) with (clean maintenance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/06/27 07:45
53	1420	347/22,33,36,4047.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:44
54	5	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:44
S5	9921	((nozzle planar) with (substrate plate layer)) same ((ink liquid fluid) near8 (channel guide groove direct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:50

			T	···		T
S 6	152	S3 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:46
S7	31688	(nozzle with (substrate plate layer)) same (geometr\$2 shape recess channel groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/06/27 07:51
S8	188	S3 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:51
S9	328952	(ink fluid liquid) with (spray contaminat\$3 excess\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:52
S10	117	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:54
S11	3522	347/47,54,56,71.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:54
S12	1179	S7 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:55
S13	175	S9 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:12
S14	510	((nozzle oriface) with (geometr\$2 shape recess)) same capillary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:14
S15	17	S11 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:14
S16	6	("3466659" "3774231" "3887928" "3958249" "4349830").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/27 09:15
S17	12	("4413268").URPN.	USPAT	OR	ON	2005/06/27 09:15
S18	6	("4059480" "4066491" "4276335" "4403234" "4413268" "4549188").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/27 09:18
S19	34	("4728392").URPN.	USPAT	OR	ON	2005/06/27 10:37
S20	1454	347/100,106.cds.	USPAT	OR	ON	2005/06/27 10:39
S21	652	(viscosity same tension) and S20	USPAT	OR	ON	2005/06/27 10:39
S22	4	("50" adj dynes) and ("40" adj centipoise)	USPAT	OR	ON	2005/06/27 10:38

		,			r	
S23	578	(viscosity with tension) and S20	USPAT	OR	ON	2005/06/27 10:39
524	302	347/106.ccls.	USPAT	OR	ON	2005/06/27 10:39
S25	66	(viscosity same tension) and S24	USPAT	OR	ON	2005/06/27 10:44
S26	514	(depth height) with ((nozzle oriface) same (geometr\$2 dimension))	USPAT	OR	ON	2005/06/27 10:45
S27	3522	347/47,54,56,71.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:45
S28	15	S27 and S26	USPAT	OR	ON	2005/06/27 10:45
S29	514	(depth height) with ((nozzle oriface) same (geometr\$2 dimension))	USPAT	OR	ON	2005/06/27 11:49
S30	3522	347/47,54,56,71.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 11:49
S31	15	S30 and S29	USPAT	OR	ON	2005/06/27 11:49
S32	302	347/106.ccls.	USPAT	OR	ON	2005/06/27 12:19
S33	66	(viscosity same tension) and S32	USPAT	OR	ON	2005/06/27 12:19
534	23	S33 and piezoelectric	USPAT	OR	ON	2005/06/27 12:19
S35	3	(("4,358,781") or ("4,459,601") or ("5,757,391")).PN.	USPAT	OR	OFF	2006/03/03 10:22
S36	0	("58283946132028").PN.	USPAT	OR	OFF	2006/03/03 10:23
S37	2	(("5828394") or ("6132028")).PN.	USPAT	OR	OFF	2006/03/03 10:23
S38	4	("4413268" "5487483" "5595785" "5786832").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 10:25
S39	149	(capillary with (channel groove conduit)) same (nozzle near4 plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:33
S40	900	347/22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:26.
S41	1827	347/47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:32
S42	551	347/45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:26
S43	18	S39 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:32
544	2	("3776461" "5381169").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 10:27
S45	15	S39 and S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:28

S46	10	("4542389" "4550326" "4578687" "4646110" "4914562" "4914736" "4980703" "4994825" "5198834" "5374948").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 10:29
S47	4	S39 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/03 10:32
S48	10319	(channel groove conduit) same (nozzle near4 plate) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:33
S49	5707	(channel groove conduit) with (nozzie near4 plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:35
S50	300	S41 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:34
S51	233	S41 and S49	US-PGPUB; / USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/03/03 10:34
S52	2573	(channel groove conduit) with (nozzle adj plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:35
S53	65241	"347"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:35
S54	1185	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:35
S55	2	(channel groove conduit) with (maintenance) with (nozzle adj plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/03 10:36
S56	2	((channel groove conduit) with maintenance) with (nozzle adj plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:36
S57	4	((channel groove conduit) with maintenance) same(nozzle adj plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/03/03 10:38

S58	104	((channel groove conduit) with capillary) same(nozzle adj plate) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:38
S59	82	S53 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 10:38
S60	1446	347/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 11:03
S61	636	347/47.ccls.	USPAT	OR	ON	2006/03/03 11:04
S62	554	S61 not silverbrook.in.	USPAT	OR	ON	2006/03/03 12:31
S63	636	347/47.ccls.	USPAT	OR	ON	2006/03/03 12:31
S64	184	(S63 not silverbrook.in.) and (nozzle with shape)	USPAT	OR	ON	2006/03/03 12:32
S65	9	("3167489" "3329588" "3461045" "3607674" "3704175").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 12:36
S66	4	("4290857").URPN.	USPAT	OR	ON	2006/03/03 12:36
S67	6	("4255237" "4290857" "4417946" "4422905" "4513298" "4558333").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 12:38
S68	31	("4716423").URPN.	USPAT	OR	ON	2006/03/03 12:39
S69	11	("4368476" "4694308" "4716423" "4723129" "4740796" "5262802" "5300959" "5443687" "5697144" "6402304" "6523938").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 12:40
S70	2	("4513298" "4558333").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 12:43
S71	27	("4694308").URPN.	USPAT	OR	ON	2006/03/03 12:43
S72	12	("4413268").URPN.	USPAT	OR	ON	2006/03/03 12:51
S73	6	("3466659" "3774231" "3887928" "3958249" "4349830").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 13:15
S74	937	347/44	US-PGPUB; USPAT; USOCR	OR .	ON	2006/03/03 13:16
S75	551	347/45	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 13:15
S76	1827	347/47	US-PGPUB; USPAT; USOCR	OR	ON .	2006/03/03 13:15
S77	104	S74 and S75 and S76	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 13:16
S78	937	347/44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 13:16
S79	551	347/45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 13:16

		LAST Scaren mistory				
S80	1827	347/47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 13:16
S81	104	S78 and S79 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 13:19
S82	497	347/45.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 13:37
S83	6865	((nozzle oriface) near3 (plate substrate layer)) with (conduit channel recess groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 13:38
S84	65241	"347"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 13:38
S85	2406	S83 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 13:38
S86	2988	((nozzle oriface) adj (plate substrate layer)) with (conduit channel recess groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 13:41
S87	1324	S84 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 13:39
S88	352	(((nozzle oriface) adj (plate substrate layer)) with (conduit channel recess groove)) same (shape geometry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 13:41
S89	146	S84 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 13:41
S90	24	(US-20030081069-\$ or US-20050140747-\$ or US-20040141031-\$ or US-20040145621-\$).did. or (US-4550326-\$ or US-6132028-\$ or US-4413268-\$ or US-5790151-\$ or US-4962391-\$ or US-5940096-\$ or US-4290857-\$ or US-4716423-\$ or US-4422082-\$ or US-6305792-\$ or US-6039438-\$ or US-5853861-\$ or US-6536879-\$ or US-4021252-\$ or US-6527369-\$ or US-6685301-\$ or US-4786288-\$ or US-4728392-\$).did. or (JP-02004515-\$ or JP-61287756-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2006/03/03 13:54
S91	481	347/67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 14:14

		LAST Scarcif History				
S92	15625	nozzle adj plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/03/03 14:14
S93	127	S91 and S92	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 14:14
S94	514	(nozzle adj plate) with specific\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 14:19
S95	256	S84 and S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 14:15
S96	215	(nozzle adj plate) same ((surround\$3 encompass\$3) with (channel groove moat recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/03 14:20
S97	261	((nozzle oriface) adj (substrate plate)) same ((surround\$3 encompass\$3) with (channel groove moat recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 14:21
598	18	(US-20040141031-\$ or US-20050140747-\$ or US-20040145621-\$).dld. or (US-6305792-\$ or US-5940096-\$ or US-4422082-\$ or US-6039438-\$ or US-5853861-\$ or US-4786288-\$ or US-4716423-\$ or US-4550326-\$ or US-4413268-\$ or US-4728392-\$ or US-6132028-\$ or US-4962391-\$ or US-4021252-\$ or US-6527369-\$).dld. or (JP-02004515-\$).dld.	US-PGPUB; USPAT; JPO	OR	ON	2006/03/06 07:58
S99	3	"4422082".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 07:54
S10 0	1	1982-F7677E.NRAN.	DERWENT	OR	ON	2006/03/06 07:55
S10 1	5146	347/22-35,47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 08:53
\$10 2	44	((nozzle orlface) adj (plate substrate)) same ((channel recess trough) with (wick\$3 with (liquid ink fluid)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 08:56
S10 3		S101 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 08:55
S10 4	3647	((nozzle oriface) adj (plate substrate)) same (channel recess trough)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/06 08:57

		27.01 000101111001,	T			
S10 5	269	S101 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 08:57
S10 6	2174	((nozzle oriface) adj (plate substrate)) with (channel recess trough)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:19
S10 7	147	S101 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 08:57
\$10 8	63	S107 and (capillary wick\$3 vacuum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 08:58
S10 9	11	("4157935" "4246076" "4312009" "4317124" "4450455" "4502054" "4587534" "4593296" "4640382" "4644126" "4694548").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/06 09:00
S11 0	34	("5189437").URPN.	USPAT	OR	ON	2006/03/06 09:02
S11 1	56	(vacuum and wick\$3) near3 (channel recess groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:05
S11 2	65241	"347"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/03/06 10:04
S11 3	65241	S112 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:04
S11 4	6	S111 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:04
S11 5	6	(vacuum same wick\$3) with ((channel recess groove) same (maintenance clean\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:05
S11 6	4	S112 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:06
S11 7	718	347/30.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:06

S11 8	160	347/31.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:07
S11 9	373	347/32.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:07
S12 0	3	\20 and S118 and S119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:07
S12 1	3	S117 and S118 and S119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:07
S12 2	3	("5055856" "5867187" "5898444").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/06 10:16
S12 3	1	S122 and ((vacuum suction) and wip\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/06 10:17
S12 4		("3787148" "4363609" "5260724" "5309180" "5517219").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/06 10:18
S12 5	1172	((nozzle oriface) adj (plate substrate)) with (silicon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:21
S12 6	768	S112 and S125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:19
S12 7	1446	347/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:20
S12 8	87	S125 and S127 .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:20
S12 9	194	(((nozzle oriface) adj (plate substrate)) with (silicon)) same (advantage benefit improvement superior)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:22
S13 0	14	S127 and S129	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 10:22

S13 1	2	"20010024219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 15:36
S13 2	20	(US-20010024219-\$ or US-20040141031-\$ or US-20050140747-\$ or US-20040145621-\$).did. or (US-4962391-\$ or US-6258286-\$ or US-6171875-\$ or US-6132028-\$ or US-4728392-\$ or US-4550326-\$ or US-4413268-\$ or US-5189437-\$ or US-5853861-\$ or US-4786288-\$ or US-4021252-\$ or US-6039438-\$ or US-4422082-\$ or US-5898444-\$ or US-6273546-\$).did. or (JP-02004515-\$).did.	US-PGPUB; USPAT; JPO	OR .	ON	2007/03/08 11:03
S13 3	2	S132 and (porous sponge)	US-PGPUB; USPAT; JPO	OR	ON	2007/03/08 11:03

3/8/2007 1:13:23 PM C:\Documents and Settings\gmruk\My Documents\EAST\Workspaces\10749833.wsp